TABLE OF CONTENTS

CHAPTER 1
HIGHWAY FUNCTIONS

1.0 INTRODUCTION 1-1
1.1 FUNCTIONAL CLASSIFICATION 1-1
REFERENCES 1-3

CHAPTER 2
DESIGN CONTROLS AND CRITERIA

2.0 INTRODUCTION 2-1
2.1 DESIGN VEHICLES 2-1
2.1.1 General Characteristics 2-1
2.1.2 Minimum Turning Paths of Design Vehicles 2-2
2.2 TRAFFIC CHARACTERISTICS 2-2
2.2.1 Volume 2-2
2.3 HIGHWAY CAPACITY 2-3
2.3.1 Levels of Service 2-3
2.4 ACCESS CONTROL AND ACCESS MANAGEMENT 2-5
2.5 PEDESTRIANS 2-5
2.6 SAFETY 2-5
2.7 ENVIRONMENT 2-5
REFERENCES 2-6

List of Tables

2-1 General Definitions of Level of Service 2-3
2-2 Guidelines for Selection of Design Levels of Service Characteristics by Highway Type 2-3

List of Illustrations

2-1 Levels of Service 2-4

CHAPTER 3
ELEMENTS OF DESIGN

3.0 INTRODUCTION 3-1
3.1 SIGHT DISTANCE 3-1
3.1.1 General Considerations 3-1
3.1.2 Stopping Sight Distance 3-1
3.1.2.1 Effect of Grade on Stopping Sight Distance 3-3
3.1.3 Decision Sight Distance 3-3
3.1.4 Sight Distance on Horizontal Curves 3-4
3.1.5 Sight Distance on Vertical Curves 3-10
3.1.5.1 Crest Vertical Curves 3-10
3.1.5.2 Sag Vertical Curves 3-11
3.1.6 Passing Sight Distance 3-12
3.1.6.1 Passing Sight Distance on Crest Vertical Curves 3-13
3.1.6.2 Passing and Stopping Sight Distances at Undercrossings 3-13
3.2 HORIZONTAL ALIGNMENT 3-13
3.2.1 General Controls 3-13
3.2.2 Types and Properties of Horizontal Alignments 3-14
3.2.2.1 Simple Curves 3-14
3.2.2.2 Spiral Curves 3-15
3.2.2.3 Reverse Curves 3-18
3.2.2.4 Compound Curves 3-21
3.2.2.5 Alignment on Bridges 3-22
3.2.2.6 Curvature Zoning 3-23
3.2.3 Superelevation 3-24
3.2.3.1 General 3-24
3.2.3.2 Standards for Superelevation 3-24
3.2.3.3 Superelevation Transition 3-24
3.2.3.4 Design for All Rural Highways, Urban Freeways and High-Speed Urban Streets 3-25
3.2.3.5 Design for Low-Speed Urban Streets 3-25
3.2.4 Widths for Turning Roadways at Intersections 3-26
3.2.5 Traveled Way Widening on Horizontal Curves 3-26
3.2.5.1 Attainment of Widening on Curves 3-27
3.2.6 Pavement Transitions 3-28
3.2.6.1 General 3-28
3.2.6.2 Two Lanes to Multilane Divided 3-28
3.2.6.3 Other Transitions 3-29
3.3 VERTICAL ALIGNMENT 3-29
3.3.1 General Controls 3-29
3.3.2 Position With Respect to Cross Section 3-29
3.3.3 Standards for Grades 3-32
3.3.4 Vertical Curves 3-33
3.3.5 Climbing Lanes 3-35
3.3.6 Passing Lanes 3-36
3.3.7 Turnouts 3-37

3.4 COMBINATION OF HORIZONTAL AND VERITCAL ALIGNMENT 3-37
3.5 GUIDELINES FOR DESIGNING DETOURS 3-38
3.5.1 Detour Design Speed 3-38
3.5.2 Detour Clear Zone 3-38
3.5.3 Detour Typical Section 3-39
3.5.4 Detour Barrier 3-39
3.5.5 Detour Surfacing 3-39
3.5.6 Detour Superelevation 3-40
3.5.7 Detour on Local Roads 3-41
3.5.8 Environmental Considerations for Detours 3-42
3.5.9 Detour Transverse Underdrains 3-42
3.6 OTHER ELEMENTS AFFECTING GEOMETRIC DESIGN 3-42
3.6.1 Drainage and Erosion Control 3-42
3.6.2 Rest Areas 3-43
3.7 LIGHTING 3-43
3.8 UTILITIES 3-43
3.9 TRAFFIC CONTROL DEVICES 3-43
3.10 NOISE BARRIERS 3-45
REFERENCES 3-45

List of Figures

3-1 General Case – Stopping Sight Distance on Horizontal Curves 3-5
3-2 Design Controls for Stopping Sight Distance on Horizontal Curves 3-6
3-3 Example of Horizontal Stopping Sight Distance on a Two-Lane Roadway 3-7
3-4 Example of Horizontal Stopping Sight Distance on a Ramp 3-8
3-5 Example of Horizontal Stopping Sight Distance on Divided Highways 3-9
3-6 Example of Crest Vertical Curve 3-10
3-7 Example of Sag Vertical Curve 3-12
3-8 Simple Curve 3-15
3-9 Spiral Curve 3-16
3-10 Reverse Curves 3-19
3-11 Compound Curve 3-22
3-12 Widening on a Simple Curve 3-27
3-13 Widening on a Spiral Curve 3-27
3-14 Vertical Curves 3-34
3-15 Superelevation on Detours 3-41

List of Tables

3-1 Sight Distance 3-2
3-2 Minimum Radii and Maximum Lengths of Superelevation Runoff for Limiting Values of e and f (Low-Speed Urban Streets) 3-26
3-3 Clearances to Structures and Obstructions 3-31
3-4 Relation of Maximum Grades to Design Speed 3-33

CHAPTER 4
CROSS SECTION ELEMENTS

4.1 PAVEMENT 4-1
4.1.1 Surface Type 4-1
4.1.2 Cross Slope 4-2
4.1.3 Skid Resistance 4-2
4.1.4 Traveled Lane Texturing 4-2
4.2 LANE WIDTHS 4-3
4.3 SHOULDERS 4-3
4.3.1 General Characteristics 4-3
4.3.2 Width of Shoulders 4-3
4.3.3 Shoulder Cross Sections 4-3
4.3.4 Shoulder Stability 4-4
4.3.5 Shoulder Contrast 4-4
4.3.6 Turnouts 4-5
4.4 TYPICAL SECTIONS 4-4
4.5 HORIZONTAL CLEARANCE TO OBSTRUCTIONS. 4-12
4.6 CURBS. 4-12
4.7 DRAINAGE CHANNELS AND SIDESLOPES 4-14
4.7.1 General Considerations 4-14
4.7.2 Drainage Channels 4-14
4.7.3 Sideslopes. 4-14
4.7.4 Cut Slope Standards 4-15
4.7.5 Fill Slope Standards 4-15
4.7.6 Clearance From Slope to Right-of-Way Line 4-16
4.7.7 Slope Benches 4-16
4.7.8 Cut Slope Treatment 4-17
4.8 ILLUSTRATIVE OUTER CROSS SECTIONS 4-17
4.8.1 Normal Crown Sections 4-17
4.9 TRAFFIC BARRIERS 4-19
4.9.1 General Considerations 4-19
4.9.2 Longitudinal Barriers 4-20
4.9.2.1 Roadside Barriers 4-20
4.9.2.2 Median Barriers 4-21
4.9.3 Bridge Railings 4-22
4.9.4 Crash Cushions 4-22
4.10 MEDIANS 4-23
4.11 FRONTAGE ROADS 4-24
4.12 OUTER SEPARATIONS 4-25
4.13 NOISE CONTROL 4-25
4.13.1 General Considerations 4-25
4.14 ROADSIDE CONTROL 4-26
4.14.1 General Considerations 4-26
4.14.2 Driveways 4-26
4.14.3 Mailboxes 4-27
4.15 TUNNELS 4-27

4.15.1 General Considerations 4-27
4.15.2 Types of Tunnels 4-27
4.15.3 General Design Considerations 4-27
4.15.4 Tunnel Sections 4-28
4.16 PEDESTRIAN FACILITIES 4-28
4.16.1 Sidewalks 4-29
4.16.2 Sidewalk Curb Ramps 4-29
4.17 BICYCLE FACILITIES 4-29
4.18 BUS TURNOUTS 4-29
4.18.1 Freeways. 4-30
4.18.2 Arterials. 4-30
4.18.3 Park-and-Ride Facilities. 4-30
4.19 ON-STREET PARKING. 4-31
REFERENCES 4-32

List of Figures

4-1 Typical Sections for Divided Bituminous Pavement 4-7
4-2 Typical Sections for Divided Concrete Pavement 4-8
4-3 Typical Sections for Medians, Ramps and Frontage Roads 4-9
4-4 Typical Sections for Urban Bituminous or Concrete Pavement 4-10
4-5 Typical Section for Crowned Bituminous Pavement 4-11
4-6 General Cross Sectional Information 4-18

List of Tables

4-1 Geometric Design Standards 4-6
4-2 Fill Slopes 4-16
4-3 W idth of Separation for Frontage Roads 4-25

CHAPTER 5
LOCAL ROADS AND STREETS

5.0 INTRODUCTION 5-1
5.1 LOCAL RURAL ROADS 5-1
5.1.1 Design Speed 5-1
5.1.2 Intersection Design 5-1
5.2 LOCAL URBAN STREETS 5-2
5.2.1 General Design Considerations 5-2
5.2.2 Design Traffic Volume 5-3
5.2.3 Design Speed 5-3
5.2.4 Sight Distance 5-3
5.2.5 Grades 5-3
5.2.6 Alignment 5-4
5.2.7 Cross Slope 5-4
5.2.8 Superelevation 5-4
5.2.9 Width of Roadway 5-5
5.2.10 Medians 5-5
5.2.11 Drainage 5-5
5.2.12 Cul de Sacs and Turnarounds. 5-6
5.2.13 Sidewalks 5-6
5.2.14 Sidewalk Curb Ramps 5-7
5.2.15 Border Areas 5-7
REFERENCES 5-8

List of Tables

5-1 Normal Traveled Way Cross Slopes 5-4

CHAPTER 6
COLLECTOR ROADS AND STREETS

6.0 INTRODUCTION 6-1
6.1 RURAL COLLECTORS 6-1
6.1.1 General Design Considerations 6-1
6.2 URBAN COLLECTORS 6-2
6.2.1 General Design Considerations 6-2
6.2.2 Parking Lanes 6-2
6.2.3 Drainage 6-3
6.2.4 Sidewalks 6-3
6.2.5 Sidewalk Curb Ramps 6-3
6.2.6 Border Area 6-3
REFERENCES 6-4

CHAPTER 7
RURAL AND URBAN ARTERIALS

7.0 INTRODUCTION 7-1
7.1 RURAL ARTERIALS 7-1
7.1.1 General Design Considerations 7-1
7.1.1.1 Design Speed 7-1
7.1.1.2 Design Traffic Volume 7-1
7.1.1.3 Levels of Service 7-1
7.1.1.4 Sight Distance 7-2
7.1.1.5 Grades 7-2
7.1.1.6 Number of Lanes 7-2
7.1.1.7 Superelevation 7-2
7.1.1.8 Cross Slope 7-2
7.1.1.9 Vertical Clearances 7-3
7.1.1.10 Structures 7-3
7.1.1.11 W idths 7-3
7.1.1.12 Horizontal Clearance to Obstructions 7-4
7.1.1.13 Cross Section and Right-of-Way 7-4
7.1.1.14 Ultimate Development of Four-Lane Divided Arterials 7-5
7.1.2 Multilane Undivided Arterials 7-5
7.1.3 Divided Arterials 7-5
7.1.3.1 General Features 7-6
7.1.3.2 Lane Widths, Cross Slope, and Shoulders 7-6
7.1.3.3 Medians 7-6
7.1.3.4 Climbing Lanes on Multilane Arterials 7-7
7.1.4 Access Management 7-7
7.2 URBAN ARTERIALS 7-7
7.2.1 General Considerations 7-7
7.2.1.1 Design Speed 7-7
7.2.1.2 Design Traffic Volume 7-7
7.2.1.3 Levels of Service 7-7
7.2.1.4 Sight Distance 7-7
7.2.1.5 Grades 7-8
7.2.1.6 Vertical Clearances 7-8
7.2.1.7 Curbs and Shoulders 7-8
7.2.1.8 Number of Lanes 7-8
7.2.1.9 W idth of Roadway 7-8
7.2.1.10 Geom etric Design Type 7-9
7.2.1.11 Medians 7-9
7.2.1.11.1 Median Considerations 7-9
7.2.1.11.2 Width of Median 7-9
7.2.1.11.3 Width of Median Lanes 7-10
7.2.1.11.4 Cross Slope for curbed Medians 7-10
7.2.1.11.5 Median Contrast 7-11
7.2.1.11.6 Mediation Configuration and Typical Design 7-11
7.2.1.12 Drainage 7-11

7.2.1.13 Parking Lanes 7-11
7.2.1.14 Borders and Sidewalks 7-11
7.2.1.15 Roadway Width for Bridges 7-11
7.2.1.16 Horizontal Clearance to Obstructions 7-11
7.2.1.17 Right-of-W ay Width 7-12
7.2.1.18 Intersection Design 7-12
7.2.1.19 Lighting 7-12
REFERENCES 7-13

List of Tables

Table 7-1 Minimum Width of Traveled Way and Usable Shoulder 7-4

CHAPTER 8
FREEWAYS

8.0 INTRODUCTION 8-1
8.1 GENERAL DESIGN CONSIDERATIONS 8-1
8.1.1 Design Speed 8-1
8.1.2 Design Traffic Volumes 8-2
8.1.3 Levels of Service 8-2
8.1.4 Pavement and Shoulders 8-2
8.1.5 Curbs 8-2
8.1.6 Superelevation 8-3
8.1.7 Grades 8-3
8.1.8 Structures 8-3
8.1.9 Vertical Clearance 8-3
8.1.10 Horizontal Clearance to Obstructions 8-3
8.1.11 Outer Separations, Borders, and Frontage Roads 8-3
8.2 RURAL FREEWAYS 8-3
8.2.1 Alignment and Profile 8-4
8.2.2 Medians 8-4
8.2.3. Sideslopes 8-5
8.2.4 Frontage Roads 8-5
8.3 URBAN FREEWAYS 8-5
8.3.1 Medians 8-5
8.3.2 Depressed Freeways 8-6
8.3.3 Elevated Freeways 8-6
8.3.4 Ground-Level Freeways 8-6
8.3.5 Combination-Type Freeways 8-7
8.3.6 Special Freeway Designs 8-7
8.3.7 Accommodation of Transit and High-Occupancy Vehicle Facilities 8-7
REFERENCES 8-8

CHAPTER 9
INTERSECTIONS

9.0 INTRODUCTION 9-1
9.1 GENERAL DESIGN CONSIDERATIONS AND OBJECTIVES 9-1
9.2 TYPES AND EXAMPLES OF INTERSECTIONS 9-1
9.2.1 General Considerations 9-2
9.3 CAPACITY ANALYSIS 9-2
9.4 ALIGNMENT AND PROFILE 9-2
9.4.1 General Considerations 9-3
9.4.2 Alignment. 9-3
9.4.3 Profile 9-3
9.5 INTERSECTION CURVES 9-3
9.5.1 Widths for Turning Roadways at Intersections 9-4
9.5.1.2 Widths Outside Traveled Way 9-4
9.5.2 Minimum Designs for Sharpest Turns 9-5
9.5.2.1 Design Vehicles 9-10
9.5.2.2 Effect of Curb Radii on Turning Paths 9-10
9.6 TYPES OF TURNING ROADWAYS 9-11
9.6.1 Oblique-Angle Turns 9-11
9.6.2 Development of Superelevation at Turning Roadway Terminals 9-11
9.6.3 General Procedure 9-12
9.7 ISLANDS 9-12
9.7.1 General Characteristics 9-12
9.7.2 Island Size and Designation 9-13
9.7.3 Delineation 9-13
9.7.4 Approach Treatment 9-14
9.7.5 Right-Angle Turns With Corner Islands 9-14
9.7.6 Oblique-Angle Turns With Corner Islands 9-15
9.8 INTERSECTION SIGHT DISTANCE 9-16
9.8.1 General Considerations 9-16
9.8.2 Intersection Control 9-19
9.8.3 Effect of Skew 9-19
9.9 STOPPING SIGHT DISTANCES AT INTERSECTIONS FOR TURNING ROADWAYS 9-19
9.10 DESIGN TO DISCOURAGE WRONG-WAY ENTRY 9-19
9.11 SUPERELEVATION FOR CURVES AT INTERSECTIONS 9-20
9.11.1 General Design Considerations 9-20
9.12 CHANNELI ZATION 9-20
9.13 SPEED-CHANGE LANES AT INTERSECTIONS 9-20
9.14 MEDIAN OPENINGS 9-20
9.14.1 Control Radii for Minimum Turning Paths 9-20
9.14.2 Shape of Median End 9-21
9.14.3 Median Openings Based on Control Radii for Design Vehicles 9-21
9.14.4 Effect of Skew 9-21
9.15 ABOVE MINIMUM DESIGNS FOR DIRECT LEFT TURNS 9-22
9.16 INDIRECT LEFT TURNS AND U-TURNS 9-22

9.16.1 General Design Considerations 9-22
9.17 FLUSH OR TRAVERSABLE MEDIANS 9-22
9.18 AUXILIARYLANES 9-23
9.18.1 General Design Considerations 9-24
9.18.2 Deceleration Length 9-25
9.18.3 Storage Length 9-25
9.18.4 Acceleration Length 9-26
9.18.5 Taper 9-27
9.18.5.1 Elements of Left-Turn Design (Redirect Taper) 9-30
9.18.5.2 Merging Tapers 9-30
9.18.6 Median Left-Turn Lanes 9-30
9.18.6.1 Median Left Turn Lane Warrants 9-33
9.18.7 Median Double Left and Triple Turn Lanes 9-34
9.18.8 Median Lane Width 9-34
9.18.9 Median End Treatment 9-38
9.19 RIGHT-TURN LANES 9-38
9.19.1 General 9-38
9.19.2 Tapers 9-39
9.19.3 Storage 9-39
9.19.4 Length 9-39
9.19.5 Width 9-39
9.19.6 Shoulders 9-40
9.20 INTERSECTION DESIGN ELEMENTS WITH FRONTAGE ROADS 9-40
9.21 BICYCLES AT INTERSECTIONS 9-40
9.22 WHEELCHAIR RAMPS AT INTERSECTIONS 9-40
9.23 LIGHTING AT INTERSECTIONS 9-40
9.24 DRIVEWAYS 9-41
9.25 RAILROAD-HIGHWAY GRADE CROSSINGS 9-41
REFERENCES 9-42

List of Figures

9-1A Three-Centered Compound Curve (Symmetrical) 9-7
9-1B Three-Centered Compound Curve (Symmetrical) Greater than 180° 9-8
9-2 Three-Centered Compound Curve (Asymmetrical) 9-9
9-3A Sight Distance at Intersections, Minimum Sight Triangle (No Control or Yield Control) 9-17
9-3B Sight Distance at Intersections, Minimum Sight Triangle (Stop Control) 9-18
9-4 Speed Change Lane Taper for Continuously Curbed Medians 9-28
9-5 Bay Taper 9-29
9-6A Minimum Median Left-Turn Channelization, Four-Leg Intersection 9-31
9-6B Minimum Median Left-Turn Channelization, Tee Intersection 9-32
9-7A 14 to 16-Foot Median Left-Turn Design 9-35
9-7B 16to 18- Foot Median Left-Turn Design 9-36
9-7C Median Left Turn Design 9-37

List of Tables

9-1 Design Widths of Pavements for Turning Roadways 9-4
9-2 Range of Usable Shoulder Widths or Equivalent Lateral Clearances Outside Turning Roadways, Not on Structure 9-5
9-3 Intersection Design Vehicle 9-10
9-4 Typical Designs for Turning Roadways 9-15
9-5 Lane Widths for Continuous Two-Way Left-Turn Lanes 9-23
9-6 Desirable Deceleration Length 9-25
9-7 Storage Lengths for Auxiliary Lanes 9-26
9-8 Desirable Acceleration Length from Stop Condition 9-27
9-9 Taper Length and Ratio for Parallel-Type Entrance 9-27

CHAPTER 10
GRADE SEPARATIONS AND INTERCHANGES

10.0 INTRODUCTION AND GENERAL TYPES OF INTERCHANGES 10-1
10.1 WARRANTS FOR INTERCHANGES AND GRADE SEPARATIONS 10-7
10.1.1 Interchange and Grade Separation Warrants 10-7
10.2 ADAPTABILITY OF HIGHWAY GRADE SEPARATIONS AND INTERCHANGES 10-7
10.3 GRADE SEPARATION STRUCTURES 10-8
10.4 INTERCHANGES 10-9
10.4.1 General 10-9
10.5 GENERAL DESIGN CONSIDERATIONS 10-10
10.5.1 Determination of Interchange Configuration 10-11
10.5.2 Approaches to the Structure 10-12
10.5.2.1 Alignment, Profile, and Cross Section..... 10-13
10.5.2.2 Sight Distance 10-13
10.5.3 Interchange Spacing 10-13
10.5.4 Uniformity of Interchange Patterns 10-13
10.5.5 Route Continuity 10-13
10.5.6 Coordination of Lane Balance and Basic Number of Lanes 10-14
10.5.7 Auxiliary Lanes 10-17
10.5.8 Lane Reduction 10-17
10.5.9 Weaving Sections..... 10-17
10.5.10 Collector – Distributor Roads 10-23
10.5.11 Two-Exit Versus Single-Exit Interchange Design 10-23
10.5.12 Wrong-Way Entrances 10-23
10.6 RAMPS 10-23
10.6.1 Types and Examples 10-23
10.6.2 General Ramp Design Considerations 10-24
10.6.2.1 Design Speed 10-24
10.6.2.2 Curvature..... 10-25
10.6.3 Stopping Sight Distance..... 10-26
10.6.4 Ramp Profiles..... 10-26
10.6.5 Superelevation and Cross Slope..... 10-28
10.7 INTERCHANGE DESIGN CRITERIA 10-29
10.7.1 General 10-29
10.7.2 Sight Distance 10-29
10.7.3 Sight Distance to Exit Nose 10-30
10.7.4 Gores 10-32
10.7.5 Ramp Pavement Widths..... 10-36
10.7.5.1 Width and Cross Section..... 10-36
10.7.5.2 Shoulders and Lateral Clearances 10-36
10.7.6 Ramp Terminals..... 10-37
10.7.6.1 Right-Hand Entrances and Exits 10-37
10.7.6.2 Left-hand Entrances and Exits 10-38
10.7.6.3 Terminal Location and Sight Distance 10-38
10.7.6.4 Speed-Change Lanes..... 10-40

10.7.7 Single Lane Free-Flow Terminals, Entrances 10-48
10.7.7.1 Taper Type Entrance 10-48
10.7.7.2 Parallel Type Entrance 10-48
10.7.8 Single-Lane Free-Flow Terminals, Exits 10-49
10.7.8.1 Taper Type Exits 10-52
10.7.8.2 Parallel Type Exits 10-52
10.7.8.3 Free-Flow Terminals on Curves 10-53
10.7.8.4 At-Grade Terminals 10-53
10.7.9 Multilane Free-Flow Terminals 10-56
10.7.9.1 Two-Lane Entrances 10-56
10.7.9.2 Two-Lane Exits 10-56
10.7.9.3 Major Forks and Branch Connections and Freeway-to-Freeway Connections 10-59
10.8 PEDESTRIANS 10-60
10.9 RAMP METERING 10-60
REFERENCES 10-61

List of Figures

10-1A Interchange Types 10-3
10-1B Interchange Types 10-4
10-1C Interchange Types 10-5
10-1D Interchange Types 10-6
10-2 Typical Examples of Lane Balance 10-15
10-3 Coordination of Lane Balance and Basic Number of Lanes 10-16
10-4A Types of Weaving Sections 10-18
10-4B Types of Weaving Sections 10-19
10-5A Lane Configuration of Weaving Sections 10-21
10-5B Lane Configuration of Weaving Sections 10-22
10-6 Location of Ramp Intersections on the Cross Road 10-31
10-7 Measurement of Sight Distance at Ramp Terminals With Stop Controls 10-32
10-8 Typical Gore Area Characteristics 10-33
10-9 Traveled Way Narrowing on Entrance Ramps 10-35
10-10 Recommended Minimum Ramp Terminal Spacing 10-39
10-11A Typical Single-Lane Entrance Ramps (Tapered) 10-44
10-11B Typical Single-Lane Entrance Ramps (Parallel) 10-45
10-12 Freeway Entrance Terminal - Taper Type 10-46
10-13 Freeway Entrance Terminal -Parallel Type 10-47
10-14 Freeway Exit Terminal – Taper Type 10-50
10-15 Freeway Exit Terminal – Parallel Type 10-51
10-16A Single-Lane Ramp Exit Transition to Two Lanes (Alternate A) 10-54
10-16B Single-Lane Ramp Exit Transition to Two Lanes (Alternate B) 10-55
10-17 Two-Lane Entrance or Branch Connection 10-58
10-18 Two-Lane Exit or Major Fork 10-57

List of Tables

10-1 Guide Values for Ramp Design Speed as Related to Highway Design Speed 10-25
10-2 Maximum Algebraic Difference in Pavement Cross Slope at Turning Roadway Terminals 10-29
10-3 Minimum Deceleration Lengths for Exit Terminals With Flat Grades of 2 Percent Or Less 10-41
10-4 Minimum Acceleration Lengths for Entrance Terminals With Flat Grades of 2 Percent Or Less 10-42
10-5 Speed-Change Lane Adjustment Factors as a Function of Grade 10-43
10-6 Minimum Length of Taper Beyond an Offset Nose 10-52

CHAPTER 11
ACCESS CONTROL AND ACCESS MANAGEMENT

This chapter is currently under development.

CHAPTER 12
ADA CONSIDERATIONS

This chapter is currently under development.

CHAPTER 13
ALTERNATE STANDARDS

This chapter is currently under development.

CHAPTER 14
BICYCLE AND PEDESTRIAN FACILITIES

14.0 INTRODUCTION 14-1
14.0.1 Intent of Chapter 14 - Design of Bicycle and Pedestrian Facilities 14-1
14.0.2 CDOT Bike and Pedestrian Policy Directive 1602.0 14-1
14.0.3 CDOT Bike and Pedestrian Procedural Directive 1602.1 14-2
14.0.4 Design Exceptions 14-3
14.0.5 Federal Guidance Concerning Bicycle and Pedestrian Facilities 14-3
14.0.5.1 US DOT Policy Statement 14-3
14.0.5.2 Restrictions on Severing Bicycle and Pedestrian Facilities 14-3
14.0.6 Context Sensitive Design 14-4
14.0.7 User Counts 14-4
14.1 BICYCLE FACILITIES 14-5
14.1.1 Accommodating Bicycles 14-5
14.1.1.1 Sharing Roadway Space 14-5
14.1.1.2 Role of Design Factors 14-6
14.1.1.3 The Bicycle as a Design Vehicle 14-6
14.1.2 Bike Routes 14-7
14.1.2.1 General Bike Routes 14-7
14.1.2.2 Numerically Labeled Bike Routes 14-8
14.1.3 Shared lanes 14-9
14.1.3.1 Bicycle May Use Full Lane Sign (R4-11) 14-9
14.1.3.2 SHARE THE ROAD Sign Assembly (W11-1 + W16-1P) 14-10
14.1.3.3 Shared Lane Markings 14-12
14.1.4 Wide Curb Lanes 14-12
14.1.5 Paved Shoulders 14-12
14.1.5.1 Additional Width 14-13
14.1.5.2 Shoulders on Steep Grades 14-15
14.1.5.3 Rumble Strips 14-15
14.1.5.4 Shoulders at Intersections 14-15
14.1.6 Bike Lanes 14-15
14.1.6.1 Bike Lane Width 14-16

14.1.6.2 Designating Bike Lanes 14-16
14.1.6.3 Buffered Bike Lanes 14-17
14.1.6.4 Bike Lanes at Driveways and Intersections 14-1
14.1.6.4.1 Bike Lanes at Continuous Flow Intersections 14-19
14.1.6.4.2 Bike Lanes at Roundabouts 14-19
14.1.7 Detection of Bicycles at Signalized Intersections 14-31
14.1.7.1 Signal Detection Loops in Bike Lanes 14-32
14.1.7.2 Signal Timing for Bicycles 14-32
14.1.8 Cycle Tracks 14-33
14.1.9 Bicycle Boulevards 14-35
14.1.10 Alternative Routes 14-36
14.1.11 Other Roadway Considerations 14-37
14.1.11.1 Cross Slopes 14-37
14.1.12.2 Drainage Inlets and Utility Covers 14-37
14.1.12.3 Railroad Crossings 14-37
14.1.12.4 Bridges and Tunnels 14-38
14.2 SHARED USE PATHS 14-38
14.2.1 Surface Treatments 14-39
14.2.1.1 Paved Shared Use Path 14-39
14.2.1.2 Unpaved Shared Use Paths 14-39
14.2.2 Design Speed 14-39
14.2.3 Sight Distance 14-40
14.2.3.1 Stopping Sight Distance 14-40
14.2.3.2 Sight Distance on Horizontal curves 14-41
14.2.3.3 Sight Distance on Vertical curves 14-44
14.2.3.4 Sight Distance at Intersections 14-45
14.2.4 Shared Use Path Width 14-46
14.2.5 Cross Slope 14-49
14.2.6 Clearances 14-49
14.2.7 Horizontal Alignment of Shared Use Paths 14-50
14.2.8 Vertical Alignment of Shared Use Paths 14-51
14.2.9 Intersections with Shared Use Paths 14-52
14.2.9.1 Required Sight Triangles at Shared Use Path Intersections 14-54
14.2.9.2 Traffic Control at Intersections with Shared Use Paths 14-59
14.2.9.3 Reducing Speeds on the Approach to Intersections 14-61
14.2.9.4 Curb Ramps 14-62

14.2.9.5 Prevention of Motor Vehicle Encroachment onto Shared Use 14-Paths ... 14-63
14.2.10 Underpass and Overpass Structures ... 14-65
14.2.10.1 Width and Clearance for Structures Serving Shared Use Paths ... 14-66
14.2.10.2 Grades on Structures Serving Shared Use Paths ... 14-66
14.2.10.3 Railings on Structures Serving Shared Use Paths ... 14-67
14.2.10.4 Railroad crossings ... 14-67
14.2.10.5 Utilities ... 14-68
14.2.10.6 Traffic Calming on Shared Use Paths ... 14-68
14.2.11 Wayfinding on Shared Use Paths ... 14-69
14.2.12 Shared Use Paths Adjacent to the Roadway (Sidepaths) ... 14-69
14.2.13 Safety Considerations of Sidepaths ... 14-69
14.2.13.1 Potential Mitigation Measures to the Operational Challenges of Sidepaths ... 14-71
14.2.14 Sidepath Clearance to the Adjacent Roadway ... 14-73
14.2.15 Equestrian Facilities ... 14-73
14.2.15.1 Geometric Design of Equestrian Facilities ... 14-74
14.2.15.2 Signage of Equestrian Facilities ... 14-75
14.2.16 Other Considerations on Bicycle Facilities ... 14-75
14.2.16.1 Retrofit Projects ... 14-75
14.2.16.2 Shared Use Path Lighting ... 14-75
14.2.16.3 Maintenance of Traffic ... 14-76
14.2.16.4 Integration of Bicycles with Transit ... 14-76
14.2.16.5 Innovative Signage and Markings ... 14-79
14.2.16.6 Maintenance of Bicycle Facilities ... 14-81
14.3 PEDESTRIAN FACILITIES ... 14-81
14.3.1 General Pedestrian Considerations ... 14-82
14.3.1.1 Accommodating Pedestrians in the Right-of-Way ... 14-82
14.3.1.2 Operating Characteristics of Pedestrians ... 14-83
14.3.1.3 Americans with Disabilities Act Requirements ... 14-83
14.3.1.4 Curb Ramps and Blended Transitions ... 14-84
14.3.1.5 Vertical Changes in Grade ... 14-85
14.3.2 Sidewalks ... 14-85
14.3.2.1 Separation from Roadway ... 14-85
14.3.2.2 Sidewalk Width ... 14-86

14.3.2.3 Protruding Objects 14-86
14.3.3 Grade and Cross Slopes 14-87
14.3.4 Driveways 14-88
14.3.5 Sidewalk Lighting 14-88
14.3.6 Transit Stops 14-88
14.3.7 Pedestrian Crossings of Roadways 14-88
14.3.8 Pedestrian Crossings at Intersections 14-88
14.3.8.1 Pedestrian Crossings at Uncontrolled Approaches to Intersections 14-89
14.3.8.2 Pedestrian Crossings at Stop and Yield Control Intersections 14-89
14.3.8.3 Pedestrian Crossings at Signal Control Intersections 14-89
14.3.8.4 Pedestrian Crossings at Roundabouts 14-90
14.3.9 Pedestrian Crossings at Midblock Locations 14-91
14.3.9.1 Rapid Rectangular Flashing Beacons 14-92
14.3.9.2 Pedestrian Hybrid Signals 14-93
14.3.9.3 Guidance for Traffic Control Selection at Midblock Crossings 14-94
14.3.9.4 Signalized Pedestrian Crossings 14-97
14.3.9.5 Grade Separated Pedestrian Crossings 14-97
14.3.9.6 Additional Treatments at Midblock Crossings 14-98
14.3.9.7 Sidewalk Crossings of Rail Lines 14-99
14.3.10 Other Pedestrian Considerations 14-100
14.3.10.1 Traffic Calming 14-100
14.3.10.2 Pedestrian Amenities 14-101
14.3.10.3 Pedestrian Wayfinding Signage 14-101
14.3.10.4 On-street Parking 14-102
14.3.11 School Areas 14-102
14.3.12 Maintenance of Traffic *(58)* 14-103
14.3.12.1 Pedestrian Considerations in Temporary Traffic Control Zones 14-103
14.3.12.2 Accessibility Considerations 14-106
REFERENCES 14-107

List of Figures

Figure 14-1 Examples of BICYCLE GUIDE Signs 14-8
Figure 14-2 Examples of BIKE ROUTE Signs 14-8
Figure 14-3 U.S. BIKE ROUTE Sign 14-9
Figure 14-4 Bicycles May Use Full Lane Sign 14-10
Figure 14-5 SHARE THE ROAD Sign Assembly 14-11
Figure 14-6 Shared Lane Marking 14-12
Figure 14-7 Advance Warning Stripe for Rumble Strips 14-15
Figure 14-8 Detail of Bike Lane Designation 14-17
Figure 14-9 Detail of Buffered Bike Lane Designation 14-18
Figure 14-10 Typical Bike Lane - Major Intersection, No Right Turn Lane, Curb and Gutter 14-20
Figure 14-11 Typical Bike Lane - Major Intersection, Right Turn Lane, Curb and Gutter 14-21
Figure 14-12 Typical Bike Lane - Major Intersection, No Right Turn Lane, No Curb and Gutter 14-22
Figure 14-13 Typical Bike Lane - Major Intersection, Right Turn Lane, No Curb and Gutter 14-23
Figure 14-14 Typical Bike Lane - Major Intersection, No Right Turn Lane, On-Street Parking 14-24
Figure 14-15 Typical Bike Lane - Major Intersection, Right Turn Trap Lane, Bus Stop 14-25
Figure 14-16 Typical Bike Lane - Tee Intersection, Right Turn Must Turn Right Lane, Bus Stop 14-26
Figure 14-17 Typical Bike Lane - Tee Intersection, Right Turn Lane, Bus Bay 14-27
Figure 14-18 Typical Bike Lane - Compact Interchange 14-28
Figure 14-19 Typical Bike Lane - Rural Interchange 14-29
Figure 14-20 Typical Bike Lane - Continuous Flow Intersection 14-30
Figure 14-21 Bike Detection Symbol and Bicycle Signal Actuation Sign 14-32
Figure 14-22 Conflict Markings on Cycle Tracks 14-35
Figure 14-23 Bicycle Obstruction Marking in Advance of a Drop Inlet 14-37
Figure 14-24 Potential Treatments at a Skewed Railroad Crossing 14-38
Figure 14-25 Stopping Sight Distance on a Shared Use Path Horizontal Curves 14-42
Figure 14-26 Design Controls for 14-43
Figure 14-27 Sight Distance on Crest Vertical Curves 14-44
Figure 14-28 Path User Position Signs 14-47
Figure 14-29 Mode Specific Guide Signs 14-48
Figure 14-30 SELECTIVE EXCLUSION Signs 14-48
Figure 14-30 Conditions where Barriers to Embankments are Recommended 14-50
Figure 14-31 Bicycle HILL WARNING Sign 14-52
Figure 14-32 Functional Area of an Intersection 14-54
Figure 14-33 Illustration of Intersection Sight Triangle Dimensions 14-56
Figure 14-34 Illustration of Intersection Sight Triangle Dimensions 14-58
Figure 14-35 Illustration of Intersection Sight Triangle Dimensions 14-59
Figure 14-36 INTERSECTION WARNING (W2 Series) and ADVANCE TRAFFIC CONTROL (W3 Series) Signs 14-60

Figure 14-37 TRAIL CROSSING Assembly 14-61
Figure 14-38 Geometric Design to Slow Bicyclists on Intersection Approaches 14-62
Figure 14-39 Chicane on Approach to Intersection 14-62
Figure 14-40 NO MOTOR VEHICLES Sign (R5-3) 14-63
Figure 14-41 Example Schematic Path Entry 14-64
Figure 14-42 Obstruction Striping around Bollards on Shared Use Paths 14-65
Figure 14-43 Maximum Spacing of Resting Intervals on Shared Use Path Structure Ramps 14-66
Figure 14-44 Example Signage and Markings at a Shared Use Path Crossing of a Rail Road (49) 14-68
Figure 14-45 Example ADJACENT PATH Sign 14-72
Figure 14-46 TRAIL COURTESY sign 14-75
Figure 14-47 Bicycle Facility DETOUR Signs 14-76
Figure 14-48 Bicycle Channel (41) 14-77
Figure 14-49 Shared Bus-Buffered Bike Lane 14-78
Figure 14-50 Example Striping and Marking for a Bike Box 14-80
Figure 14-51 Protruding Objects 14-87
Figure 14-52 Locations of Pedestrian Crossings at Roundabouts (52) 14-90
Figure 14-53 Detectable Warning Placement in Median Refuge Islands 14-91
Figure 14-54 Angle Cut through a Median 14-92
Figure 14-55 Rapid Rectangular Flashing Beacon 14-93
Figure 14-56 Pedestrian Hybrid Signal Sequence (53) 14-94
Figure 14-57 Approach Slope Markings for Raised Pedestrian Crossings (55) 14-99
Figure 14-58 Example of Flashing-Light Signal Assembly for Pedestrian Crossings *(56)* 14-100
Figure 14-59 SCHOOL SPEED LIMIT Assembly 14-102
Figure 14-60 Pedestrian Facility DETOUR Sign 14-106

List of Tables

Table 14-1 Maximum motor vehicle service volumes for given Bicycle LOS grades 14-14
Table 14-2 Stopping Sight Distance 14-41
Table 14-3 Minimum Length of Crest Vertical Curve Based on Stopping Sight Distance 14-45
Table 14-4 Minimum Radii and Superelevation for Shared Use Paths 14-51
Table 14-5 Intersection Sight Distance 14-56
Table 14-6 Required Sight Distance for Minor Leg of Yield Control 14-58
Table 14-7 Suggested tread width on shared use horse trails 14-74
Table 14-8 Suggested minimum turn radii for horse trails 14-74
Table 14-9 Suggested maximum cross slope for horse trails 14-74
Table 14-10 Referral Table for Midblock Crossing Treatments 14-94
Table 14-11 Roadway Volume less than 650 Vehicles per hour, vph (6,700 vehicles per day [1], vpd) 14-95
Table 14-12 Roadway Volume greater than 650 vph[1] (6,700 vpd) and less than 1,150 (12,000 vpd) 14-96
Table 14-13 Roadway Volume Greater than 1,150[1] vph (12,000 vpd) 14-97

CHAPTER 15
BRIDGE

15.0 INTRODUCTION 15-1
15.1 SCOPE OF WORK DEVELOPMENT 15-1
15.2 DEFINITIONS 15-1
15.2.1 Major Structures 15-2
15.2.2 Minor Structures 15-2
15.2.3 Special Inlet or Outlet 15-2
15.2.4 Standard CBC Vs. Non-Standard CBC 15-2
15.2.5 Retaining Walls 15-3
15.3 ROADWAY ELEMENTS OF DESIGN 15-3
15.3.1 Bridge Roadway Width 15-3
15.3.2 Cross Slope 15-4
15.3.3 Median 15-4
15.3.4 Horizontal Alignment 15-4
15.3.5 Vertical Alignment 15-4
15.3.6 Bridge Skew Angle 15-4
15.3.7 Bridge Sidewalks and Bikeways 15-5
15.3.8 Embankment Slopes at Bridge Approaches 15-5
15.3.9 Clearance to Structures and Obstructions 15-5
15.4 ROADWAY DESIGN SUBMITTAL TO BRIDGE/STRUCTURE DESIGNER 15-6
15.4.1 Purpose 15-6
15.4.2 Project Scoping 15-6
15.4.3 Survey Requests for Bridges 15-6
15.4.4 Roadway Design Submittal to Project Structural Engineer 15-6
15.5 HYDRAULICS REPORTS 15-7
15.5.1 Stream and River Crossings 15-7
15.5.2 Roadside and Bridge Deck Drainage 15-7
15.6 SPECIAL REQUIREMENTS 15-8
15.6.1 Perm its 15-8
15.6.2 Environm ental 15-8
15.6.2.1 Historic Requirements 15-9
15.6.3 Aesthetics 15-9
15.6.3.1 Structural Coatings 15-9
15.6.4 Utilities 15-9
15.6.5 Construction 15-9
15.6.5.1 Detours and Staging 15-9
15.7 FOUNDATIONS AND STRUCTURES 15-10
15.8 STRUCTURAL DESIGN SUBMITTALS 15-10
REFERENCES 15-13

CHAPTER 16
CONSTRUCTION SPECIFICATIONS

16.0 INTRODUCTION 16-1
16.1 SPECIFICATIONS - GENERAL 16-1
16.1.1 Definition 16-1
16.1.2 Importance and Characteristics of Well-Written Specifications 16-1
16.1.3 Basic Specification Policy 16-2
16.1.3.1 Standards and Specifications Unit 16-2
16.1.3.2 Liquidated Damages, Penalties, and Incentives 16-3
16.1.3.3 Uniformity 16-3
16.1.3.4 Warranties and Guaranties 16-3
16.1.3.5 Proprietary Items 16-4
16.1.3.6 Materials-Methods Vs. End-Result Specifications 16-4
16.1.3.7 Pay Items 16-5
16.1.3.8 Reference Specifications 16-5
16.1.3.9 Laws, Statutes, and Regulations 16-5
16.1.3.10 Specifications for Innovative Contracting Practices 16-5
16.2 STANDARD SPECIFICATIONS 16-6
16.2.1 Organization and Format 16-6
16.2.1.1 Five-Part Format 16-6
16.2.1.2 Subsections 16-8
16.3 SUPPLEMENTAL SPECIFICATIONS 16-9
16.4 SPECIAL PROVISIONS 16-9
16.4.1 Organization of Text 16-9
16.4.2 Margins 16-9
16.4.3 Text 16-9
16.4.4 Standard Special Provisions 16-10
16.4.4.1 Fonts 16-10
16.4.5 Project Special Provisions 16-10
16.4.5.1 Criteria 16-10
16.4.5.2 Format and Style 16-11
16.4.5.3 Fonts 16-11
16.4.5.4 Titles 16-12
16.4.5.5 Headings 16-12
16.4.5.6 Revised or Added Specification Text 16-14
16.4.6 Use of New or Revised Project Special Provisions 16-14
16.4.7 Special Provision Package 16-15
16.5 CONSTRUCTION SPECIFICATIONS WEBSITE 16-15
16.5.1 Accessing the Website 16-15
16.5.2 Contents of the Website 16-15
16.5.2.1 Project Special Provision Work Sheets 16-16
16.5.3 Updates 16-16
16.6 USE OF METRIC AND ENGLISH UNITS 16-16
16.7 WRITING STYLE 16-16
16.8 EXAMPLE PROJECT SPECIAL PROVISIONS 16-20

16.8.1 Revision of Various Subsections 16-20
16.8.2 Deletion and Replacement of an Entire Section 16-21
16.8.3 Addition of a New Section 16-22
16.8.4 Addition of Changes not Tied to Specification Subsections 16-23
REFERENCES 16-24

List of Figures

16-1 Subsection Organization 16-8

List of Tables

16-1 Spec Book Grammar, Syntax, and Format Protocol 16-18

CHAPTER 17
FORM 463

This chapter is currently under development.

CHAPTER 18
NOISE

18.0 INTRODUCTION 18-1
18.1 NOISE FUNDAMENTALS 18-1
18.2 NOISE REGULATIONS AND ANALYSIS REQUIREMENTS 18-2
18.3 CDOT NOISE ANALYSIS AND ABATEMENT GUIDELINES 18-5
18.4 HIGHWAY TRAFFIC NOISE MITIGATION MEASURES 18-5
18.4.1 Traffic Management Measures 18-6
18.4.2 Roadway Design Alternatives 18-6
18.4.3 Acquisition of Property or Property Rights 18-7
18.4.4 Noise Insulation or Other Extraordinary Abatement Measures 18-8
18.5 NOISE BARRIERS 18-8
18.5.1 Walls 18-10
18.5.2 General Design Guidelines 18-10
18.5.3 General Aesthetic Guidelines 18-13
18.5.3.1 Visual Analysis 18-13
18.5.3.2 Visual Design Principles 18-15
18.5.3.3 End Treatments 18-17
18.5.3.4 Design Elements for Landscape Plantings 18-17
18.5.4 General Maintenance Guidelines 18-19
18.5.5 General Materials Guidelines 18-19
18.5.6 Berms 18-20
18.5.7 Combination Barriers 18-21
18.6 CONSTRUCTION ZONE 18-22
18.7 ADDITIONAL GUIDANCE 18-23
REFERENCES 18-24

List of Illustrations

18-1 Masonry Block Noise Barrier: I-76 East of York Street 18-9
18-2 Post and Panel Noise Barrier Mounted on Type 7 Barrier: US-6 in Lakewood 18-10
18-3 Artistically Treated Precast Concrete Noise Barrier: SH-47 in Pueblo 18-14
18-4 I-70 Dillon Valley Noise Barrier 18-15
18-5 Terraced Landscaping with Noise Barrier: US-287 Lafayette Bypass 18-18
18-6 Recycled Sand Berm: I-70 East of Vail 18-21
18-7 Com bination Barrier: I-25 at Exit 188 18-22
18-8 Noise Barrier Construction: I-270 West of York Street 18-23

List of Tables

18-1 CDOT Noise Abatement Criteria (NAC) 18-4

CHAPTER 19
ROUNDABOUTS

This chapter is currently under development.

CHAPTER 20
SAFETY AND TRAFFIC ENGINEERING

20.0 INTRODUCTION 20-1
20.1 ROADWAY SAFETY 20-1
20.1.1 Bicycle and Pedestrian Safety 20-2
20.1.2 Railroad-Highway Grade Crossings 20-2
20.1.3 Roadway Geometry Considerations 20-4
20.1.4 Intersections 20-4
20.1.5 Interchanges 20-5
20.1.6 Context Sensitive Solutions 20-5
20.1.7 Work Zone Safety` 20-7
20.1.8 Roadway Shoulders 20-7
20.2 REDUCING RUN-OFF-THE-ROAD CRASHES 20-7
20.2.1 Rumble Strips 20-8
20.2.1.1 General Criteria 20-8
20.2.1.2 Installation on Interstate Highways 20-9
20.2.1.3 Installation on Narrow Shoulders 20-9
20.3 ROADSIDE SAFETY 20-10
20.3.1 Unique Hazards 20-10
20.3.2 Guardrail 20-11
20.3.2.1 Review of Accident History 20-11
20.3.2.2 Maintaining Continuity 20-11
20.3.2.3 Determination of Length 20-12
20.3.2.4 Offset 20-12
20.3.2.5 Access Treatments 20-12
20.4 TRAFFIC ENGINEERING PLANS 20-13
20.4.1 Source Documents 20-13
20.5 CONSTRUCTION TRAFIC CONTROL 20-14
20.5.1 Construction Traffic control Plan 20-14
20.5.2 Construction Signing and Striping 20-15
20.5.3 Temporary Pavement Markings 20-15
20.5.4 Channelizing Devices 20-16
20.5.5 Special Devices 20-17
20.5.6 Construction Staging/Phasing 20-17
20.5.7 Construction at or Near Railroad-Highway Grade Crossings 20-17
20.6 PERMANENT SIGNING 20-19
20.6.1 Uniform Standard Regulatory and Warning Signs 20-19
20.6.2 Special Signs 20-20
20.6.3 Sign Classification 20-20
20.6.4 Ground Sign Supports and Foundations (Class III) 20-20
20.6.5 Overhead Sign Structures 20-21
20.6.6 Cross Sections at Class III and Overhead Sign Structure Locations 20-21
20.7 SPECIFICATIONS 20-22
20.7.1 Standard Specifications 20-22
20.7.3 Traffic Project Special Provisions 20-22

20.8 SIGNALS 20-22
20.8.1 Signal Plans 20-22
20.8.2 Warrant Studies 20-23
20.9 PAVEMENT MARKINGS 20-23
20.9.1 Permanent 20-23
20.9.2 Temporary 20-24
20.10 RESEARCH 20-24
REFERENCES 20-25