Southwestern Willow Flycatcher (Empidonax traillii extimus)

general info

03-0208-11

Southwestern Willow Flycatcher (Empidonax traillii extimus)

general info

03-0208-11

Southwestern Willow Flycatcher (Empidonax traillii extimus)

general info

03-0208-11

Southwestern Willow Flycatcher (Empidonax traillii extimus)

general info

03-0208-11

Southwestern Willow Flycatcher
(Empidonax traillii extimus)

Federal status: Endangered
Colorado status: Endangered

This small bird usually is a little less than six inches long, including the tail. It has brownish-olive upperparts, a whitish throat that contrasts with the pale olive breast, a pale yellow belly, and two light wing bars. Unlike other flycatchers, this species generally lacks a conspicuous eye ring. Its bill is depressed and wide at the base.

Habitat: This species nests in willow and tamarisk in southwestern Colorado, within 100 feet of water, distant from trees. It occurs in 13 southwestern Colorado counties.

Southwestern Willow Flycatcher
(Empidonax traillii extimus)

Federal status: Endangered
Colorado status: Endangered

This small bird usually is a little less than six inches long, including the tail. It has brownish-olive upperparts, a whitish throat that contrasts with the pale olive breast, a pale yellow belly, and two light wing bars. Unlike other flycatchers, this species generally lacks a conspicuous eye ring. Its bill is depressed and wide at the base.

Habitat: This species nests in willow and tamarisk in southwestern Colorado, within 100 feet of water, distant from trees. It occurs in 13 southwestern Colorado counties.

Southwestern Willow Flycatcher
(Empidonax traillii extimus)

Federal status: Endangered
Colorado status: Endangered

This small bird usually is a little less than six inches long, including the tail. It has brownish-olive upperparts, a whitish throat that contrasts with the pale olive breast, a pale yellow belly, and two light wing bars. Unlike other flycatchers, this species generally lacks a conspicuous eye ring. Its bill is depressed and wide at the base.

Habitat: This species nests in willow and tamarisk in southwestern Colorado, within 100 feet of water, distant from trees. It occurs in 13 southwestern Colorado counties.

Southwestern Willow Flycatcher
(Empidonax traillii extimus)

Federal status: Endangered
Colorado status: Endangered

This small bird usually is a little less than six inches long, including the tail. It has brownish-olive upperparts, a whitish throat that contrasts with the pale olive breast, a pale yellow belly, and two light wing bars. Unlike other flycatchers, this species generally lacks a conspicuous eye ring. Its bill is depressed and wide at the base.

Habitat: This species nests in willow and tamarisk in southwestern Colorado, within 100 feet of water, distant from trees. It occurs in 13 southwestern Colorado counties.