

SH 82 Grand Avenue Bridge Environmental Assessment  
 Public Open House, Wednesday, August 22, 2012

COMMENT FORM

Differences Between the Alignments.

Please indicate which alternative (1 or 3) best addresses the criteria categories below.

	<u>Alternative 1:</u> <u>Bridge at existing</u> <u>location aligned to Pine</u>	<u>Alternative 3:</u> <u>Bridge aligned to Exit</u> <u>116/Laurel/6th</u>
<b>Traffic and Access:</b>		
• North side traffic circulation	<input type="checkbox"/>	<input type="checkbox"/>
• North side bike and pedestrian circulation	<input type="checkbox"/>	<input type="checkbox"/>
• Volume of SH 82 traffic on 6 <sup>th</sup> Street	<input type="checkbox"/>	<input type="checkbox"/>
• Hot Springs pool parking access	<input type="checkbox"/>	<input type="checkbox"/>
• Access to and from I-70	<input type="checkbox"/>	<input type="checkbox"/>
<b>Visual:</b>		
• View from the Hot Springs Pool	<input type="checkbox"/>	<input type="checkbox"/>
• View from downtown	<input type="checkbox"/>	<input type="checkbox"/>
• View from I-70	<input type="checkbox"/>	<input type="checkbox"/>
<b>Bike/Pedestrian:</b>		
• Ability to accommodate bikes and pedestrians	<input type="checkbox"/>	<input type="checkbox"/>
• Compatibility with bike network	<input type="checkbox"/>	<input type="checkbox"/>
<b>Land Use:</b>		
• Development opportunities in 6th Street area	<input type="checkbox"/>	<input type="checkbox"/>
• Impacts to businesses	<input type="checkbox"/>	<input type="checkbox"/>
<b>Other</b> (please describe below)	<input type="checkbox"/>	<input type="checkbox"/>

Please provide any additional comments on the advantages you see for either alternative

---



---



---



---



---

---

### Differences Between the Alternative 3 Intersection Options.

There are three options for the intersection at Exit 116/Laurel/6th.  
Please choose one option that best addresses the criteria below.

	Option 3A : Roundabout at 6 <sup>th</sup> /Laurel	Option 3D: T-intersection at 6th/Pine	Option 3E: Local access intersection to 6th
<b>Traffic and Access:</b>			
• Traffic flow/ minimized delay			
• Ease of navigation			
• Minimized out-of-direction travel	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Traffic safety			
• Access to downtown			
• Access to the hotel area			
• Access to the Hot Springs Pool			
<b>Bike/Pedestrian:</b>			
• Pedestrian safety			
• Bicycle safety	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Connectivity to existing and planned networks			
<b>Visual and Land Use:</b>			
• View from Hot Springs Pool	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Compatibility with community			
<b>Other</b> (please describe below)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Please provide any explanation or additional comments on the options.**

---

---

---

**Please leave completed comment sheet in the drop box located at the exit/entrance. You may also submit comments by August 31, 2012, via mail, email, or fax. If you submit comments other than on this form, please indicate that they are related to information from this Public Open House.**

- **Mail** your comments to: Joe Elsen, CDOT, 202 Centennial Street, Glenwood Springs, CO 81601.
- **Email** your comments to: [Joseph.Elsen@dot.state.co.us](mailto:Joseph.Elsen@dot.state.co.us).
- **Fax** your comments to: Joe Elsen at 970.947.5133.

**Please provide your email or mailing address to be notified of project updates and meeting:**

Name: \_\_\_\_\_

E-mail: \_\_\_\_\_

Address: \_\_\_\_\_